



[Unimog](#)

Edition: 1

Tables below are showing all of the **Unimog series**, **model variants** and the various **sales designations**.

I was collected some data (not all - unfortunately) from official "**Unimog baumuster & baureihe**" web page before Daimler AG was split into Daimler Truck AG and Mercedes-Benz AG in December 2021 and the official web link disappeared. And some of the data comes from other internet sources.

There are multiple tables, and page load takes time **on mobile phones, please be patient**. Desktop recommended.

I have grouped the **Unimog series** according to my own preferences:

Group 1: [70200](#) | [2010](#) | [401](#) | [402](#) | [404](#) | [411](#) | [421](#) | [431](#) | [407](#)

Group 2: [406](#) | [403](#) | [416](#) | [413](#) | [426](#) | [419](#) | [417](#)

Group 3: [425](#) | [424](#) | [427](#) | [435](#) | [436](#) | [437](#)

Group 4: [408](#) | [418](#)

Group 5: [409](#)

Group 6: [405](#)

Unimog Prototypes (1946-1947)

[read more](#)



Model variant	Prototypes	Wheelbase	Engine	Power	Transmission	Cab	Production	Notes
Prototype	U1 U2 U3 U4 U5 U6	1720mm	M136	28kW / 38PS	UG 1/11	Open	6	Erhard & Söhne

GROUP 1

Unimog 70200 - Boehringer (1948-1951)

[read more](#) | [top](#)



Model variant	Sales designation	Wheelbase	Engine	Power	Transmission	Cab	Production	Notes
70200	U25	1720mm	OM636	25PS	UG 1/11	Open	600	Boehringer

Unimog 2010 (1951-1953)

[read more](#) | [top](#)



Model variant	Sales designation	Wheelbase	Engine	Power	Transmission	Cab	Production	Notes
2010/1	U25	1720mm	OM636.912	18kW / 25PS	UG 1/11	Open	(part of) 4804	
2010/2	U25	1720mm	OM636.914	18kW / 25PS	UG 1/11	Open	(part of) 4804	+ Trailer braking system
2010/3	U25	1720mm	OM636.914	18kW / 25PS	UG 1/11	Open	(part of) 4804	+ PTO shafts
2010/4	U25	1720mm	OM636.914	18kW / 25PS	UG 1/11	Open	(part of) 4804	+ Trailer braking system + PTO shafts
2010/5	U25	1720mm	OM636.914	18kW / 25PS	UG 1/11	Open	(part of) 4804	+ Trailer braking system + PTO shafts + Three-point linkage
2010/M	U25	1720mm	OM636	18kW / 25PS	UG 1/11	Open	(part of) 4804	Military vehicles for Switzerland. a.k.a Dieseli.

Unimog 401 (1953-1956)

[top](#)



Model variant	Sales designation	Wheelbase	Engine	Power	Transmission	Cab	Production	Notes
401.101	U25, A25	1720mm	OM636.VI	18kW / 25PS	UG 1/11	Open	5462	
401.102	U25, B25	1720mm	OM636.VI	18kW / 25PS	UG 1/11	Closed	1656	Trailer braking system
401.103	U25, C25	1720mm	OM636.VI	18kW / 25PS	UG 1/11	Open	894	
401.104	U25, AF25	1720mm	OM636.VI	18kW / 25PS	UG 1/11	Closed	2158	
401.105	U25, BF25	1720mm	OM636.VI	18kW / 25PS	UG 1/11	Closed	758	Trailer braking system
401.106	U25, CF25	1720mm	OM636.VI	18kW / 25PS	UG 1/11	Closed	0	

Unimog 402 (1953-1956)

[top](#)



Model variant	Sales designation	Wheelbase	Engine	Power	Transmission	Cab	Production	Notes
402.101	U25, BS25	2120mm	OM636.VI	18kW / 25PS	UG 1/11	Open	14	
402.102	U25, BFS25	2120mm	OM636.VI	18kW / 25PS	UG 1/11	Closed	90	
402.103	U25, AL25	2120mm	OM636.VI	18kW / 25PS	UG 1/11	Open	165	
402.104	U25, AFL25	2120mm	OM636.VI	18kW / 25PS	UG 1/11	Closed	164	
402.105	U25. L25	2120mm	OM636.VI	18kW / 25PS	UG 1/11		85	Without cab

Unimog 404 (1955-1980)

[top](#)



Model variant	Sales designation	Wheelbase	Engine	Power	Transmission	Cab	Production	Notes
404.010	U82	2900mm	M180.958	60kW / 82PS	UG 1/11-14.93	Open	113	416.810 cab
404.011	U82	2900mm	M180.958	60kW / 82PS	UG 1/11-14.93	Closed	1151	406.821 cab
404.012	U110	2900mm	M130.925	80kW / 110PS	UG 1/11-14.93	Open	7	416.810 cab

Model variant	Sales designation	Wheelbase	Engine	Power	Transmission	Cab	Production	Notes
404.013	U110	2900mm	M130.925	80kW / 110PS	UG 1/11-14.93	Closed	520	406.821 cab
404.111	U80	2670mm	M180.952	60kW / 80PS	UG 1/11-14.93	Open	1210	
404.112	U80	2900mm	M180.952	60kW / 80PS	UG 1/11-14.93	Closed	185	
404.113	U82	2900mm	M180.952	60/68kW / 82/92PS	UG 1/11-14.93	Open & Closed	8106	
404.114	U82	2900mm	M180.952	60/68kW / 82/92PS	UG 1/11-14.93	Open & Closed	50321	
404.115	U82	2900mm	M180.952	60/68kW / 82/92PS	UG 1/11-14.93	Open & Closed	2648	
404.117	U60	2900mm	OM615	44kW / 60PS	UG 1/11-14.93	Open	81	Military vehicles for Angola

Unimog 411 (1956-1974)

[top](#)



Model variant	Sales designation	Wheelbase	Engine	Power	Transmission	Cab	Production	Notes
411.110	U30, A30, U32, A32, B32, C32, D32, H32	1720mm	OM636	22/24kW / 30/32PS		Open	8977	
411.111	U30, AF30, BF30 CF30	1720mm	OM636	22kW / 30PS		Closed	819	
411.112	UL32, AL32, BL32, CL32, DI32, HL32	2120mm	OM636	24kW / 32PS		Open	155	
411.113	U30, AFL30, BFL30, CFL30, U32	2120mm		22kW / 30PS		Closed	288	
411.114	U36	2570mm		27kW / 36PS		Open	1091	
411.115	U36	2570mm		27kW / 36PS		Closed	54	
411.116	U25, A25, B25, C25	1720mm		18kW / 25PS		Open	54	
411.117	U32, AFL32, BFL32, CFL32, DFL32, HFL32	2120mm		24kW / 32PS		Closed	6906	
411.118	U32, D32, U34, U34A, D34, H34	1720mm	OM636.914	24/25kW / 32/34PS		Open	2072	
411.119	U32, DL32, U34, U34A, U34L, DL34, HL34	2120mm	OM636.914	24/25kW / 32/34PS		Open	8467	
411.120	U32, DFL32, U34, U34A, U34L, DFL34, HFL34	2120mm	OM636.914	24/25kW / 32/34PS		Closed	4698	
411.160	Gafner MB 411 Mini Skidder			27kW / 36PS				Parts kit Gafner

Unimog 421 (1966-1989)

[top](#)



Model variant	Sales designation	Wheelbase	Engine	Power	Transmission	Cab	Production	Notes
421.122	U40, U45	2250mm	OM621.931 / OM615.911	29/33kW / 40/45PS		Open	2647	
421.123	U40, U45	2250mm	OM621.931 / OM615.911	29/33kW / 40/45PS		Closed	3215	
421.124	U52	2250mm	OM619.911	38kW / 52PS	717.802 UG 2/27-6/14.53 GA	Open	1145	421.810 cab
421.125	U52	2250mm	OM916.911	38kW / 52PS	717.802 UG 2/27-6/14.53 GA	Closed	1995	421.820 cab
421.126	U60, U600L	2605mm	OM916.911	44kW / 60PS	717.802 UG 2/27-6/14.53 GA	Open & Crew cab	4	421.810 cab, U600L Crew cab
421.128	U60, U600L	2605mm	OM616.932 or OM616.933	44kW / 60PS	717.802 UG 2/27-6/14.53 GA	Open & Crew cab	3252	421.810 cab, U600L Crew cab
421.129	U60, U600L	2605mm	OM616.932 or OM616.933	44kW / 60PS	717.802 UG 2/27-6/14.53 GA	Closed	599	421.820 cab, U600L Crew cab
421.130	U40T, U45T, U55T		OM621	29/33kW / 40/45PS		Open	6	Traction head
421.131	U40T, U45T, U55T		OM621	29/33/40kW / 40/45/55PS		Open	210	Traction head
421.132	U60T, U600T		OM616.932	44kW / 60PS	717.802 UG 2/27-6/14.53 GA	Open	35	Traction head
421.133	U60T, U600T		OM616.932	44kW / 60PS	717.802 UG 2/27-6/14.53 GA	Closed	372	Traction head
421.140	U52, U600	2250mm	OM616.911	38kW / 52PS	717.802 UG 2/27-6/14.53 GA	Open	1805	
421.141	U52, U600	2250mm	OM616.911	38kW / 52PS	717.802 UG 2/27-6/14.53 GA	Closed	3368	
421.160	Knickschlepper							Parts kit Hoes, Knickschlepper
421.162	U60	2605mm		44kW / 60PS		Open	13	
421.163	U60	2605mm		44kW / 60PS		Closed	25	

Model variant	Sales designation	Wheelbase	Engine	Power	Transmission	Cab	Production	Notes
421.164	Werner Uniknick UK 52/60			38/44kW / 52/60PS		Closed	75	Werner Uniknick Articulated Unimog
421.170	Tractortechnik Unitrac UT45			38kW / 52PS			50	Parts kit Tractortechnik
421.172	Trenkle Tremo			38kW / 52PS			250	Parts kit Trenkle
421.310	U421	2250		41kW / 56PS		Open	304	

Unimog 431 (1969-1971)

[top](#)



Model variant	Sales designation	Wheelbase	Engine	Power	Transmission	Cab	Production	Notes
431.210	U431	2205mm		44kW / 60PS		Open	601	Based on the 421 series and produced in Argentina.
431.211	U431	2205mm		44kW / 60PS		Closed	152	Based on the 421 series and produced in Argentina.

Unimog 407 (1988-1993)

[top](#)



Model variant	Sales designation	Wheelbase	Engine	Power	Transmission	Cab	Production	Notes
407.100	U600	2250mm	OM616.942	38kW / 52PS	UG 2/30	Closed	588	3000 rpm motor
407.110	U650	2605mm	OM616.943	44kW / 60PS		Closed	145	3500 rpm motor
407.111	U650L	2605mm	OM616.943	44kW / 60PS		Closed	56	3500 rpm motor
407.200	U600	2250mm	OM616.942	38kW / 52PS		Closed	588	3000 rpm motor. Built for export military sales
407.210	U650	2605mm	OM616.943	44kW / 60PS		Closed	145	3000 rpm motor. Built for export military sales
407.211	U650L	2605mm	OM616.943	44kW / 60PS		Closed	56	3000 rpm motor. Built for export military sales

GROUP 2

Unimog 406 (1963-1989)

[top](#)



Model variant	Sales designation	Wheelbase	Engine	Power	Transmission	Cab	Production	Notes
406.120	U65, U70, U80, U84, U900	2380mm	OM353.902	48/52/59/62/74kW / 65/70/80/84/100PS	717.801 UG 2/27-6/14.53	Open	12753	416.820 cab
406.121	U65, U70, U80, U84, U900	2380mm	OM353.902	48/52/59/62/74kW / 65/70/80/84/100PS	717.801 UG 2/27-6/14.53	Closed	22940	406.821 cab
406.130	U65T, U70T			48/52kW / 65/70PS		Open	10	Traction head
406.131	U65T, U70T			48/52kW / 65/70PS		Closed	29	Traction head
406.133	U80T			59kW / 80PS		Open	523	Traction head
406.141	U406.200	2900mm	OM353.940	59kW / 80PS	717.800 UG 2/27-6/14.53	Closed	2	
406.142	U900	2380mm	OM353.940	81kW / 110PS	717.800 UG 2/27-6/14.53	Open	19	416.810 cab
406.143	U900	2380mm	OM353.940	81kW / 110PS	717.800 UG 2/27-6/14.53	Closed	16	406.821 cab
406.145	U84, U900	2380mm	OM353.902	62kW / 83PS	717.801 UG 2/27-6/14.53	Closed double cab	353	Aircraft tug
406.170					717.801 UG 2/27-6/14.53			Road paver
406.171					717.801 UG 2/27-6/14.53			Road paver
406.320	U406	2380mm		69kW / 94PS	717.801 UG 2/27-6/14.53	Open	424	

Unimog 403 (1966-1988)

[top](#)



Model variant	Sales designation	Wheelbase	Engine	Power	Transmission	Cab	Production	Notes
403.120	U54	2380mm	OM314.916	40kW / 54PS	UG 2/27-6/14.53	Open	1210	
403.121	U54	2380mm	OM314.916	40kW / 54PS	UG 2/27-6/14.53	Closed	1832	
403.122	U66, U72, U800	2380mm	OM314.917	49/53kW / 66/72PS	717.801 UG 2/27-6/14.53	Open	535	416.810 cab
403.123	U66, U72, U800	2380mm	OM314.917	49/53/56kW / 66/72/76PS	717.801 UG 2/27-6/14.53	Closed	1486	406.821 cab

Unimog 416 (1965-1990)

[top](#)



Model variant	Sales designation	Wheelbase	Engine	Power	Transmission	Cab	Production	Notes
416.114	U100, U1100L	2900mm	OM353.940	74/81kW / 100/110PS	717.801 UG 2/27-6/14.53	Open	19168	416.810 cab
416.115	U100, U1100L	2900mm	OM353.940	74/81kW / 100/110PS	717.801 UG 2/27-6/14.53	Closed	5429	406.821 cab
416.116	U100, U1100L/34	3400mm	OM353.940	74/81kW / 100/110PS	717.801 UG 2/27-6/14.53	Open	1618	416.810 cab
416.117	U100, U1100L/34	3400mm	OM353.940	74/81kW / 100/110PS	717.801 UG 2/27-6/14.53	Closed	1483	406.821 cab
416.122	U80, U90	2900mm		59/66kW / 80/90PS	717.801 UG 2/27-6/14.53	Open	137	
416.123	U80, U90	2900mm		59/66kW / 80/90PS	717.801 UG 2/27-6/14.53	Closed	1018	
416.124	U80, U90	2900mm		59/66kW / 80/90PS	717.801 UG 2/27-6/14.53	Open	562	
416.125	U80, U90	2900mm		59/66kW / 80/90PS	717.801 UG 2/27-6/14.53	Closed	1564	

Model variant	Sales designation	Wheelbase	Engine	Power	Transmission	Cab	Production	Notes
416.126	U80, U90, U100	2900mm		59/66//74kW / 80/90/100PS		Open	9	
416.127	U80, U90, U100	2900mm		59/66//74kW / 80/90/100PS		Closed	37	
416.130	U90T			59/66kW / 80/90PS	717.801 UG 2/27-6/14.53	Open	49	Traction head
416.133	U90T			59/66kW / 80/90PS	717.801 UG 2/27-6/14.53	Closed	921	Traction head
416.134	U100T, U110T, U1100T		OM353.940	74/81kW / 100/110PS	717.801 UG 2/27-6/14.53	Open	175	Traction head. 416.810 cab
416.135	U100T, U110T, U1100T		OM353.940	74/81kW / 100/110PS	717.801 UG 2/27-6/14.53	Closed	1082	Traction head. 406.821 cab
416.140	U100, U110, U1100	2900mm	OM353.940	74/81kW / 100/110PS	717.801 UG 2/27-6/14.53	Open	187	416.810 cab
416.141	U100, U110, U1100	2900mm	OM353.940	74/81kW / 100/110PS	717.801 UG 2/27-6/14.53	Closed	3496	406.821 cab
416.160	Rheinmetall UR416	2900mm	OM353.940	74/81kW / 100/110PS	717.801 UG 2/27-6/14.53		816	416.830 (cutaway cab/chassis for UR416)
416.162	U125, U1100L	2900mm	OM353.907	92kW / 125PS	717.801 UG 2/27-6/14.53	Open	4941	416.810 cab
416.163	U125, U1100L	2900mm	OM353.907	92kW / 125PS	717.801 UG 2/27-6/14.53	Closed	1189	406.821 cab
416.170	Tractortechnik UT 90							Parts kit Tractortechnik
416.310	U416	2900mm		66kW / 90PS		Closed	1632	

Unimog 413 (1969-1988)

[top](#)



Model variant	Sales designation	Wheelbase	Engine	Power	Transmission	Cab	Production	Notes
413.110	U80, U800L	2900mm	OM314.917	53kW / 72PS	717.801 UG 2/27-6/14.53	Open	191	416.810 cab

Model variant	Sales designation	Wheelbase	Engine	Power	Transmission	Cab	Production	Notes
413.111	U80, U800L	2900mm	OM314.917	48/53kW / 65/72PS	717.801 UG 2/27-6/14.53	Closed	442	406.821 cab

Unimog 426 (1968-1983)

[top](#)



Model variant	Sales designation	Wheelbase	Engine	Power	Transmission	Cab	Production	Notes
426.124	U426	2900mm		74kW / 100PS		Open	2521	Based on the 416 series and produced in Argentina.
426.125	U426	2900mm		74kW / 100PS		Closed	122	Based on the 416 series and produced in Argentina.

Unimog 419 (1986-1991)

[top](#)



Model variant	Sales designation	Wheelbase	Engine	Power	Transmission	Cab	Production	Notes
419.101	Freightliner SEE Tractor	2380mm	OM352	81 kW / 110PS	719.930 UG 2/30-8/14.44 GA	Closed	2086	SEE: <i>Small Emplacement Excavator. a.k.a FLU</i>
419.102	Freightliner HME Tractor	2380mm	OM352	81 kW / 110PS	719.930 UG 2/30-8/14.44 GA	Closed	13	HME: <i>High Mobility Entrencher. a.k.a FLU</i>
419.103	Freightliner HMMH Tractor	2380mm	OM352	81 kW / 110PS	719.930 UG 2/30-8/14.44 GA	Closed	164	HMMH: <i>High Mobility Material Handler. a.k.a FLU</i>
419.104	Freightliner HME Tractor	2380mm	OM352	81 kW / 110PS	719.930 UG 2/30-8/14.44 GA	Closed	153	HME: <i>High Mobility Entrencher. a.k.a FLU</i>

Unimog 417 (1988-1993)

[top](#)



Model variant	Sales designation	Wheelbase	Engine	Power	Transmission	Cab	Production	Notes
417.000	U1100T			62/81kW / 84/110PS		Closed	96	Traction head
417.100	U800	2380mm		55kW / 75PS		Closed	67	
417.101	U900	2380mm		62/81kW / 84/110PS		Closed	1331	
417.106	U900	2380mm	OM366	62/81kW / 84/110PS		Closed	28	
417.110	U1150	2900mm		62/81kW / 84/110PS		Closed	143	
417.111	U1150L	2900mm		62/81kW / 84/110PS		Closed	233	
417.115	U1150	2900mm	OM366	81kW / 110PS		Closed	11	
417.116	U1150L	2900mm	OM366	81kW / 110PS		Closed	6	
417.120	U1150L/34	3400mm		62/81/92kW / 84/110/125PS		Closed	126	
417.201	U900	2380mm		62/81kW / 84/110PS		Closed	28	
417.210	U1150	2900mm		62/81kW / 84/110PS		Closed	74	
417.211	U1150L	2900mm		62/81kW / 84/110PS		Closed	87	
417.212	U1150L	2900mm		81/92kW / 110/125PS		Closed	6	
417.220	U1150L/34	3400mm		62/81/92kW / 84/110/125PS		Closed	39	

GROUP 3

Unimog 425 (1975-1988)

[top](#)



Model variant	Sales designation	Wheelbase	Engine	Power	Transmission	Cab	Production	Notes
425.121	U1300	2810mm	OM353.973	88/92kW / 120/125PS	717.900 UG 3/40-8/9.35 GPA	Closed	1063	425.800 or .820 cab

Model variant	Sales designation	Wheelbase	Engine	Power	Transmission	Cab	Production	Notes
425.131	U1500T		OM353.958	110kW / 150PS	717.903 UG 3/40-8/13.01 GPA	Closed	282	Traction head. 425.800 or .820 cab
425.141	U1500	2810mm	OM353.958	110kW / 150PS	717.900 UG 3/40-8/9.35 GPA 717.901 UG 3/40-8/13.01 GPA	Closed	1790	425.800 or .820 cab

Unimog 424 (1976-1989)

[top](#)



Model variant	Sales designation	Wheelbase	Engine	Power	Transmission	Cab	Production	Notes
424.121	U1000	2650mm	OM353.962	70k/92kW / 95/125PS	717.900 UG 3/40-8/9.35 GPA 717.901 UG 3/40-8/13.01 GPA	Closed	6717	425.800 or .850 cab
424.122	U1200	2650mm	OM353.995	92/96kW / 125/130PS	717.900 UG 3/40-8/9.35 GPA 717.901 UG 3/40-8/13.01 GPA	Closed	3401	
424.126	U1250, U1550	3250mm	OM 353.995 / OM353.958	92/110kW / 125/150PS	717.900 UG 3/40-8/9.35 GPA 717.901 UG 3/40-8/13.01 GPA	Closed	813	
424.127	U1250L	3250mm	OM353.995	92/96/110kW / 125/130/150PS	717.900 UG 3/40-8/9.35 GPA 717.901 UG 3/40-8/13.01 GPA	Closed	129	
424.131	U1000T		OM353.980	81kW / 110PS	717.903	Closed	70	Traction head. 425.800 cab
424.132	U1200T		OM353.995	92kW / 125PS	717.901 UG 3/40-8/13.01 GPA	Closed	103	Traction head

Unimog 427 (1988-2003)

[top](#)



Model variant	Sales designation	Wheelbase	Engine	Power	Transmission	Cab	Production	Notes
427.000	U1200T, U1400T		OM366.949 / OM956.955	92/100kW / 125/135PS	UG 3/40 or 3/65	Closed	176	Traction head
427.100	U1000	2650mm	OM366.915	75kW / 100PS	UG 3/40 or 3/65	Closed	703	
427.101	U1200	2650mm	OM366.949	92kW / 125PS	UG 3/40 or 3/65	Closed	2063	
427.102	U1400	2650mm	OM356.955	100kW / 135PS	UG 3/40 or 3/65	Closed	5336	Also 366.947 motor, same rating
427.105	U1600	2650mm	OM356.956	114kW / 155PS	UG 3/40 or 3/65	Closed	2274	Optional Crab Steer
427.107	U1600(214)	2650mm	OM356.997	157kW / 213PS	UG 3/40 or 3/65	Closed	781	
427.110	U1250	3250mm	OM366.949	92kW / 125PS	UG 3/40 or 3/65	Closed	735	
427.111	U1250L, U1450L	3250mm	OM366.949 / OM356.955	92/100/120kW / 125/135/163PS	UG 3/40 or 3/65	Closed	539	
427.112	U1450	3250mm	OM356.955	100kW / 135PS	UG 3/40 or 3/65	Closed	1545	
427.115	U1650	3250mm	OM356.956	114kW / 155PS	UG 3/40 or 3/65	Closed	1623	Optional Crab Steer
427.116	U1650L	3250mm	OM366.948	115kW / 156PS	UG 3/40 or 3/65	Closed	150	
427.117	U1650(214)	3250mm	OM356.997	132/155/157/177kW / 180/210/213/240PS	UG 3/40 or 3/65	Closed	419	
427.118	U1650L(214)	3250mm	OM357.924	132/155/157/177kW / 180/210/213/240PS	UG 3/40 or 3/65	Closed	57	

Unimog 435 (1975-1990)

[top](#)



Model variant	Sales designation	Wheelbase	Engine	Power	Transmission	Cab	Production	Notes
435.110	U1700	3250mm	OM353.959	124kW / 168PS	717.901 UG 3/40-8/13.01 GPA	Closed	1161	425.800 or .820 cab
435.111	U1700L	3250mm	OM353.959	124kW / 168PS	717.901 UG 3/40-8/13.01 GPA	Closed	808	425.800 or .820 cab

Model variant	Sales designation	Wheelbase	Engine	Power	Transmission	Cab	Production	Notes
435.113	U1700L/38	3850mm		110/124kW / 150/168PS	717.932 UG 3/40-8/13.01 GPA 717.933 UG 3/40-8/9.35 GPA	Closed	5898	
435.115	U1300L	3250mm	OM353.961	96/100/115/124kW / 130/136/156/168PS	717.900 UG 3/40-8/9.35 GPA 717.901 UG 3/40-8/13.01 GPA	Closed	21775	425.800 or .820 cab
435.117	U1300L/37	3700mm		96/110/124kW / 130/150/168PS	717.900 UG 3/40-8/9.35 GPA 717.901 UG 3/40-8/13.01 GPA	Closed	779	
435.160	Thyssen TM 170	3250mm		124kW / 168PS	717.931 UG 3/40-8/13.01 GPA		290	Chassis for Thyssen TM 170 armored vehicle
435.161	Thyssen TM 215	3250mm		157kW / 213PS			15	Chassis for Thyssen TM 215 armored vehicle
435.170	Thyssen Condor	3275mm		124/170kW / 168/231PS	717.901 UG 3/40-8/13.01 GPA 717.930 UG 3/40-8/13.01 GPA			Chassis for Thyssen Condor armored vehicle

Unimog 436 (1988-2012)

[top](#)



Model variant	Sales designation	Wheelbase	Engine	Power	Transmission	Cab	Production	Notes
436.320	U1300L	3250mm	OM382.916 (Turkish built OM366)	96kW / 130PS		Open	188	Based on the 435 & 437 series and produced in Turkiye.
436.321	U1300L	3250mm	OM382.916 (Turkish built OM366)	96kW / 130PS		Closed	1577	Based on the 435 & 437 series and produced in Turkiye.
436.325	U1300L	3250mm	OM382.917 (Turkish built OM366A)	110kW / 150PS		Open	133	Based on the 435 & 437 series and produced in Turkiye.
436.326	U1300L	3250mm	OM382.917 (Turkish built OM366A)	110kW / 150PS	UG 3/65	Closed	5112	Based on the 435 & 437 series and produced in Turkiye.
436.330	U4000	3250mm	OM382.917 (Turkish built OM366A)	110kW / 150PS		Closed	1447	Based on the 435 & 437 series and produced in Turkiye.
436.340	U1700L/38	3850mm	?	?	?	Open	?	Based on the 435 & 437 series and produced in Turkiye.
436.341	U1700L/38	3850mm	?	?	?	Closed	202	Based on the 435 & 437 series and produced in Turkiye.

Model variant	Sales designation	Wheelbase	Engine	Power	Transmission	Cab	Production	Notes
436.342	U1700L/38	3850mm	?	?	?	Open	?	Based on the 435 & 437 series and produced in Turkiye.
436.343	U1700L/38	3850mm	?	?	?	Closed	?	Based on the 435 & 437 series and produced in Turkiye.

Unimog 437 (1988-2021)

[top](#)



Model variant	Sales designation	Wheelbase	Engine	Power	Transmission	Cab	Production	Notes
437.1 Serie								
437.000	U1700T		OM366.963	125kW / 170PS	UG 3/40 or 3/65	Closed	86	Traction head
437.002	U1800T, U2100T		OM356.998	132/155/157kW / 180/210/214PS	UG 3/40 or 3/65	Closed	85	Traction head
437.100	U1700	2810mm	OM366.963	125kW / 170PS	UG 3/40 or 3/65	Closed	303	
437.102	U1800	2810mm	OM356.998	132kW / 180PS	UG 3/40 or 3/65	Closed	57	
437.105	U2100, U2400	2810mm	OM356.997	155/157/177kW / 210/214/240PS	UG 3/40 or 3/65	Closed	803	W/356.980 motor (240PS) code M03=U2400
437.110	U1350L	3250mm	OM366.955	100/130kW / 136/177PS	UG 3/40 or 3/65	Closed	150	
437.111	U1550L	3250mm	OM356.956	100/115/120/125kW / 136/156/163/170PS	UG 3/40 or 3/65	Closed	2364	
437.112	U1750	3250mm	OM366.963	125kW / 170PS	UG 3/40 or 3/65	Closed	272	
437.113	U1750L	3250mm	OM366.963	125kW / 170PS	UG 3/40 or 3/65	Closed	190	
437.114	U1850	3250mm	OM356.998	132kW / 180PS	UG 3/40 or 3/65	Closed	75	
437.115	U1850L	3250mm	OM356.998	132kW / 180PS	UG 3/40 or 3/65	Closed	36	(was used for U1550L, up to 1991)
437.116	U1550L(214)	3250mm	OM356.997	132/155/157/177kW / 180/210/214/240PS	UG 3/40 or 3/65	Closed	269	was used for U1750, up to 1991) 20+ w/ Twin disc automatic transmissions
437.117	U2150, U2450	3250mm	OM356.997	155/157/177kW / 210/214/240PS	UG 3/40 or 3/65	Closed	740	(was used for U1750L, up to 1991) W/356.980 motor (240PS) code M03=U 2450
437.118	U2150L, U2450L	3250mm	OM356.997	155/157/177kW / 210/214/240PS	UG 3/40 or 3/65	Closed	217	

Model variant	Sales designation	Wheelbase	Engine	Power	Transmission	Cab	Production	Notes
437.120	U1550L/37	3700mm	OM356.956	100/115/120/125kW / 136/156/163/170PS	UG 3/40 or 3/65	Closed	1468	
437.123	U1550L/38	3850mm	OM356.956	115/120/125kW / 156/163/170PS	UG 3/40 or 3/65	Closed	36	
437.125	U1550L/37(214)	3700mm	OM356.997	132/155/157/177kW / 180/210/214/240PS	UG 3/40 or 3/65	Closed	566	
437.130	U1750L/38	3850mm	OM366.963	125kW / 170PS	UG 3/40 or 3/65	Closed	3	
437.131	U1750L/38	3850mm	OM366.963	125kW / 170PS	UG 3/40 or 3/65	Closed	481	
437.132	U1750L/38	3850mm	?	?	?	?	?	
437.133	U1850L/38	3850mm	OM356.998	132kW / 180PS	UG 3/40 or 3/65	Closed	36	
437.135	U2150, U2450	3850mm(?)	OM356.997	157/177kW / 214/240PS	UG 3/40 or 3/65	Closed	115	
437.136	U2150L, U2450L	3850mm	OM356.997	155/157/177kW / 210/214/240PS	UG 3/40 or 3/65	Closed	1879	W/356.980 motor (240PS) code M03=U2450L/38
437.141	U1550L/45	4500mm	OM357.913	115kW / 156PS	UG 3/40 or 3/65	Closed	82	
437.156	U2450L 6x6	4600 CT, 3900 + 1400	OM356.980	177kW / 240PS	UG 3/40 or 3/65	Closed	214	6 x 6, WB to center of tandem
437.170	Kobra	3250mm		157kW / 214PS				Parts kit
437.171	Bushranger	3250mm		157kW / 214PS				Parts kit
437.182	U2400TG	4100mm	OM356.980	177kW / 240PS	UG 3/40 or 3/65		180	Planetary truck rear axle
437.4 Serie								
437.420	U3000, U4000	3250mm	OM904LA	110/130/160kW / 150/177/217PS		Closed	544	
437.421	U4000	3250mm		110/115/130/160kW / 150/156/177/217PS		Closed	299	
437.425	U3000, U4000	3850mm	OM904LA	110/130/160kW / 150/177/217PS		Closed	1378	
437.426	U4000	3850mm		110/115/130/160kW / 150/156/177/217PS		Closed	532	
437.427	U4000	3850mm		170kW / 231PS		Closed	0	
437.430	U5000	3250mm	OM924LA	160kW / 218PS		Closed	217	
437.431	U5000	3250mm		160kW / 218PS		Closed	138	
437.435	U5000	3850mm	OM924LA	160kW / 218PS		Closed	1160	
437.436	U5000	3850mm	OM924LA	160kW / 218PS		Closed	1730	
437.437	U5000	3850mm		170kW / 231PS		Closed	22	
437.460		3250mm	OM924LA	160kW / 218PS	UG 100E-8 / 9.57-0.74 GPA			Chassis
437.465		3850mm	OM920.916	160kW / 218PS	UG 100E-8 / 9.57-0.74 GPA		1072	Chassis

Model variant	Sales designation	Wheelbase	Engine	Power	Transmission	Cab	Production	Notes
437.467		3850mm		225/240kW / 306/326PS	UG 100E-8 / 9.57-0.74 GPA			Chassis. 14.5 ton
437.470		3250mm	OM934.974	170kW / 231PS	UG 100E-8 / 9.57-0.74 GPA			Chassis

GROUP 4

Unimog 408 (1992-2001)

[top](#)



Model variant	Sales designation	Wheelbase	Engine	Power	Transmission	Cab	Production	Notes
408.100	U90	2690mm		65kW / 88PS		Closed	825	
408.101	U90 turbo	2690mm		85kW / 115PS		Closed	757	
408.215	U100L	3220mm		65/71kW / 88/96PS		Closed	96	
408.216	U100L turbo	3220mm		85kW / 115PS		Closed	372	

Unimog 418 (1992-1999)

[top](#)



Model variant	Sales designation	Wheelbase	Engine	Power	Transmission	Cab	Production	Notes
418.000	U130T, U140T			98/103kW / 133/140PS		Closed	11	Traction head
418.100	U110	2830mm		75kW / 102PS		Closed	220	
418.102	U130, U140	2830mm		98/103kW / 133/140PS		Closed	779	
418.117	U140L	3470mm		100/103kW / 136/140PS		Closed	204	

Model variant	Sales designation	Wheelbase	Engine	Power	Transmission	Cab	Production	Notes
418.217	U140L	3470mm		100/103kW / 136/140PS		Closed	5	
418.237	U140L	3900mm		100/103kW / 136/140PS		Closed	4	

GROUP 5

Unimog 409 (1996-1998)

[top](#)

Model variant	Sales designation	Wheelbase	Engine	Power	Transmission	Cab	Production	Notes
409.100	UX 100H	2150		54/90kW / 74PS/122PS		Closed	421	
409.101	UX 100M	2600		90kW / 122PS		Closed	369	

GROUP 6

Unimog 405 (2000-2013)

[top](#)



Model variant	Sales designation	Wheelbase	Engine	Power	Transmission	Cab	Production	Notes
405.050	U20	2700mm	OM904LA	110kW / 150PS 580nm / 428Ft/lbs		Closed	1123	7.5-10.2 Metric ton GVW
			OM904LA	115kW / 156PS				
				130kW / 177PS				
405.090	U200	2800mm	OM904LA	115kW / 156PS		Closed	131	
			OM904LA	130kW / 177PS				

Model variant	Sales designation	Wheelbase	Engine	Power	Transmission	Cab	Production	Notes
405.100	U300	3080mm	OM904LA	110kW / 150PS 4 cyl 580nm / 428Ft/lbs	UG 100-8 / 9,57-0,74 GPA, EPS	Closed	1593	7.5-10.2 Metric ton GVW
			OM904LA	130kW / 177PS 4 cyl 675nm / 498Ft/lbs				
			OM904LA	170kW / 231PS 6 cyl 880nm / 649Ft/lbs				
405.101	U290, U300	3080mm	OM904LA	110kW / 150PS 4 cyl 580nm / 428Ft/lbs		Closed	1487	
			OM904LA	115kW / 156PS				
			OM904LA	130kW / 177PS 4 cyl 675nm / 498Ft/lbs				
405.102	U400	3080mm	OM904LA	130kW / 177PS 4 cyl 675nm / 498Ft/lbs	UG 100-8 / 9,57-0,74 GPA, EPS	Closed	2531	11.99-12.5 Metric ton GVW
			OM906LA	170kW / 231PS 6 cyl 880nm / 649Ft/lbs				
			OM906LA	205kW / 277PS 1100nm / 811Ft/lbs				
405.103	U400	3080mm	OM904LA	130kW / 177PS	UG 100-8 / 9,57-0,74 GPA, EPS	Closed	2495	11.99-12.5 Metric ton GVW
			OM906LA	175kW / 238PS				
			OM906LA	210kW / 285PS				
405.104	U300	3000mm	OM906LA	130kW / 177PS	UG 100-8 / 9,57-0,74 GPA, EPS	Closed	84	
405.105	U400	3000mm	OM906LA	170kW / 231PS	UG 100-8 / 9,57-0,74 GPA, EPS	Closed	192	
405.110	U400	3150mm	OM906LA	200kW / 272PS	UG 100-8 / 9,57-0,74 GPA, EPS	Closed	88	
			OM906LA	220kW / 300PS				
405.110	Unimog SH	2350mm		60kW / 82PS 66kW / 90PS	UG 1/11		24	Special Chassis, Unimog S 404.1 based, rear engine. (1956-1960)
405.112							0	
405.120	U300	3600mm	OM904LA	110kW / 150PS 4 cyl 580nm/428Ft/lbs	UG 100-8 / 9,57-0,74 GPA, EPS	Closed	294	7.5-10.2 Metric ton GVW
			OM904LA	130kW / 177PS 4 cyl 675nm/498Ft/lbs				
405.121	U300	3600mm		110/115/130kW / 150/157/177PS	UG 100-8 / 9,57-0,74 GPA, EPS	Closed	135	

Model variant	Sales designation	Wheelbase	Engine	Power	Transmission	Cab	Production	Notes
405.122	U400	3600mm	OM906LA	125/130kW / 170/177PS 4 cyl 675nm/498Ft/lbs	UG 100-8 / 9,57-0,74 GPA, EPS	Closed	1147	11.99-12.5 Metric ton GVW
		3080mm	OM906LA	170kW / 231PS 6 cyl 880nm/649Ft/lbs 205kW/				
405.123	U400	3600mm		130/175/210kW / 177/238/285PS	UG 100-8 / 9,57-0,74 GPA, EPS	Closed	707	
405.125	U400	3600mm	170kW/200kW/220kW		UG 100-8 / 9,57-0,74 GPA, EPS	Closed	78	
405.132							0	
405.200	U500	3080mm	OM906LA	170kW / 231PS 6 cyl 880nm/649Ft/lbs	UG 100-8 / 9,57-0,74 GPA, EPS	Closed	457	11.99-16.0 Metric ton GVW
		3350mm	OM906LA	205kW / 277PS 6 cyl 1100nm/811Ft/lbs				
405.201	U500	3350mm		175/210kW / 238/285PS	UG 100-8 / 9,57-0,74 GPA, EPS	Closed	740	
405.202	U500	3350mm		200/220kW / 272/300PS	UG 100-8 / 9,57-0,74 GPA, EPS	Closed	67	
405.210	U500 NA	3080mm	OM906LA	170kW / 231PS 6 cyl 880nm/649Ft/lbs	UG 100-8 / 9,57-0,74 GPA, EPS	Closed	29	11.80-15.0 Metric ton GVW
			OM906LA	172kW / 234PS				
		3350mm	OM906LA	194kW / 264PS				
			OM906LA	205kW / 277PS 6 cyl 1100nm/811Ft/lbs				
405.220	U500	3080mm	OM906LA	170kW / 231PS 6 cyl 880nm/649Ft/lbs	UG 100-8 / 9,57-0,74 GPA, EPS	Closed	468	11.99-16.0 Metric ton GVW
		3900mm	OM906LA	205kW / 277PS 6 cyl 1100nm/811Ft/lbs				
405.221	U500	3900mm	OM906LA	175kW / 238PS	UG 100-8 / 9,57-0,74 GPA, EPS	Closed	570	
			OM906LA	210kW / 285PS				
405.222	U500	3900mm	OM906LA	200kW / 272PS	UG 100-8 / 9,57-0,74 GPA, EPS	Closed	9	
			OM906LA	220kW / 300PS				
405.230	U500NA	3080mm	OM906 LA	170kW / 231PS 6 cyl 880nm/649Ft/lbs	UG 100-8 / 9,57-0,74 GPA, EPS	Closed	154	11.80-15.0 Metric ton GVW
		3900mm	OM906 LA	205kW / 277PS 6 cyl 1100nm/811Ft/lbs				

Model variant	Sales designation	Wheelbase	Engine	Power	Transmission	Cab	Production	Notes
405 - Unimog T	Unimog T	2900mm		68kW / 92PS			6	Special chassis

[top](#)

[Contact](#)